
HANSEN BEVERAGE PRODUCTS couplings for food industry



TUBES INTERNATIONAL[®] supplies HANSEN BEVERAGE PRODUCTS couplings. This name stands for a group of couplings that are widely used in food and pharmaceutical industry. They are used by leading diary producers. The couplings are usually made of acid-resistant steel, can be used for gas and fluid (depending on the series). Spare parts for these couplings (valves, seals, springs etc.) are also available in our offer. For proper coupling selection, please try to specify its application precisely and contact Sales or Technical Department of TUBES INTERNATIONAL[®]



HANSEN BEVERAGE PRODUCTS



couplings for food industry

≫+∕⊘

2HG / 2HL series

Working press.: 15 bar Working temp.: Up to +130°C

All parts in contact with the medium are made of acid-resistant steel. The couplings are available in two versions: for gases and for fluids. These two versions are not interchangeable (different plug dimension), to avoid wrong connection. Easy to distinguish. Couplings for gases - white identification ring on a socket and a groove on the hexagon of a plug. Couplings for fluids - black identification ring on a coupling and a lack of groove on the hexagon of a plug.

Contraction of the second seco	code	hose I.D. [inch]	medium	description
	HB-2HGRB	1/4	gases	90° socket with
	HB-2HLRB	1/4	liquids	hose tail.

	code	hose I.D. [inch]	medium	description
	HB-2HGBNB	1/4	gases	Socket with hose tail.
	HB-2HGDNB	3/8		
	HB-2HLBNB	1/4	lieuride	
	HB-2HLDNB	3/8	liquids	

	code	thread size [inch]	medium	description	
	HB-2HG720	7/16-20	gases	Socket with an UNF male thread	
	HB-2HL720	7/16-20	liquids	(90° cone).	

	code	thread size [inch]	medium	description
	HB-2HGLLRA720	7/16-20	gases	90° socket with an UNF male thread
	HB-2HLLLRA720	7/16-20	liquids	(90° cone)



HANSEN BEVERAGE PRODUCTS couplings for food industry

	code	thread size [inch]	medium	description
	HB-2HG15	1/4		
	HB-2HG20	3/8	gases	Socket with a NPT male thread.
	HB-2HL15	1/4	P. 14	
	HB-2HL20	3/8	liquids	

code	thread size [inch]	medium	description
HB-2HG16	1/4	gases	Socket with a NPT
HB-2HL16	1/4	liquids	female thread.


	code	medium	description
	HB-LN2HGA		Socket without valve.
	HB-LN2HGB	gases	Socket with a valve.
	HB-LN2HGC		Socket with a valve and seal.
	HB-LN2HLA		Socket without valve.
	HB-LN2HLB	liquids	Socket with a valve.
	HB-LN2HLC		Socket with a valve and seal.

		(3)	(4)		2-HG a	and 2-HL socket components
				pic.	code	description
		Ę		1	HB-SE2HGLRB	90° connection with 1/4" hose tail
				2	HB-SE2HGLLLRA720	90° connection with male thread 7/16"-20 UNF
		0		3	HB-SE2HGLBNB	1/4" hose tail + nut
				4	HB-SE2HGLDN	Nut for a fitting with hose tail
6 (7 8	9		5	HB-W2HGL1	Rubber seal
				6	HB-SE2HGLBNB1	1/4" hose tail
				0	HB-SE2HGLDNB1	3/8" hose tail
		•		7	HB-SE2HGL15	Connection with 1/4" NPT male thread x 11/16-18 UNF female thread
	¥				HB-SE2HGL20	Connection with 3/8" NPT male thread x 11/16-18 UNF female thread
10	¥			8	HB-SE2HGL720	Connection with 7/16-20 UNF male thread x 11/16-18 UNF female thread
				9	HB-SE2HGL16	Connection with 1/4" NPT female thread x 11/16-18 UNF female thread
	•			10	HB-4BSVAB	Valve
			(14)	11	HB-2HG01A	Socket body for gases
(13)				12	HB-2HL01A	Socket body for liquids
(15)				13	HB-2HGL01B1	White identification ring (gases)
(16)				14	HB-2HGL01B2	Black identification ring (liquids)
(17)				15	HB-2104A302	Locking balls (3 pieces)
<u></u>				16	HB-3S05	Ferrule spring
(18)				17	HB-2HGL02	Ferrule
				18	HB-3S06	Retaining ring



HANSEN BEVERAGE PRODUCTS couplings for food industry

	code	thread size [inch]	medium	description
	HB-2KGF	9/16-18 UNF	gases	Dhug
	HB-2KLF	5/8-18 UNF	liquids	Plug.



2-KG-F and 2-KL-F plug components					
pic.	code	description			
1	HB-902-9-292	O-ring.			
3	HB-2KL01F	Plug body 5/8-18 UNF female thread (liquids)			
2	HB-2KG01F	Plug body 9/16-18 UNF female thread (gases)			
4	HB-VA2KGLFA	Valve			

	code	thread size [inch]	medium	description
	HB-2KGF16	1/4 NPT		
	HB-2KGF720	7/16-20 UNF	gases	Plug with female
	HB-2KLF16	1/4 NPT	المستطم	thread.
	HB-2KLF720	7/16-20 UNF	liquids	

	code	thread size [inch]	medium	description
	HB-2KGF15	1/4 NPT		
	HB-2KGF20	3/8 NPT	gases	Plug with male
	HB-2KLF15	1/4 NPT	lieuide	thread.
	HB-2KLF20	3/8 NPT	liquids	

			2-KG-F and 2-KL-F plug components			
		pic.	code	description		
		1	HB-9029292	O-ring		
		2	HB-2KL01F	Plug body 5/8-18 UNF female thread (liquids)		
		3	HB-2KG01F	Plug body 9/16-18 UNF female thread (gases)		
		4	HB-VA2KGLFA	Valve		
	(5)	5	HB-9027292	O-ring		
			HB-PE2KGF1601	Connection with 1/4" NPT female thread (plug 2KG-F16, liquids)		
		6	HB-PE2KLF1601	connection with 1/4" NPT female thread (plug 2KG-F16, gases)		
			-	HB-PE2KGF72001	Connection with 7/16-20 UNF female thread (plug 2KG-F720, liquids)	
			HB-PE2KLF72001	Connection with 7/16-20 UNF female thread (plug 2KG-F720, gases)		
			HB-PE2KGF1501	Connection with 1/4" NPT male thread (plug 2KG-F15, liquids)		
	7		HB-PE2KLF1501	Connection with 1/4" NPT male thread (plug 2KG-F15, gases)		
			HB-PE2KGF2001	Connection with 3/8" NPT male thread (plug 2KG-F20, liguids)		
			HB-PE2KLF2001	Connection with 3/8" NPT male thread (plug 2KG-F20, gases)		



HANSEN BEVERAGE PRODUCTS couplings for food industry

	code	thread size [inch]	medium	description	
E C	HB-2KGC	11/16-18 UNF	gases	Plug without con- nection part with	
	HB-2KLC	3/4-18 UNF	liquids	plastic insert.	

	2-KG-C and 2-KL-C plug components			
	pic.	code	description	
2	1	HB-902-9-292	O-ring.	
	2	HB-2KL01C	Plug body with a fem. thread 3/4-18 UNF (liquids).	
	3	HB-2KG01C	Plug body with a fem. thread 11/16-18 UNF (gases).	
	4	HB-PVA372381	Valve.	
	5	HB-NPI3723	Plastic insert.	

	code	thread size [inch] medium		description
	HB-2KGCRN	19/32-18 UNF	gases	Plug without con-
	HB-2KLCRN	19/32-18 UNF	liquids	nection part.

	2-KG-CRN and 2-KL-CRN plug components			
	pic.	code	description	
	1	HB-902-9-292	O-ring.	
	2	HB-2KG01CRN	Plug body with a fem. thread 19/32-18 UNF (gases).	
	3	HB-2KL01CRN	Plug body with a fem. thread 19/32-18 UNF (liquids).	
	4	HB-VA2KGLCRN	Valve.	

